



VirCru

Temperature Sensor

1. VirCru Temperature Sensor Summary

Chill out and ensure your Appliances are running to perfection with the VirCru Temperature Sensor.

The VirCru Temperature Sensor monitors the specific temperature of a nominated Appliance. Use several Sensors to monitor your fridge, freezer or live bait well, alongside cabin and ambient temperature levels.

Included in your VirCru Temperature Sensor Pack:

- VirCru Temperature Sensor Tag and Cable
- Dual-Lock Adhesive Pads (one adhered to the back of the Sensor and the other supplied 'locked' to its mating half)
- Cable Tie and Peel & Stick Base (Probe mounting)
- Alcohol Wipes
- This guide.

Before installing, we recommend registering the Sensor on the VirCru App by scanning the QR code. This functionality can be found in the "Settings" tab.

If any of these items are missing from your box, please contact VirCru customer service at:

01386 800 360 or

customer.services@vircru.com

2. Installation Guide

Safety Precautions

Please ensure to:

- Follow all installation instructions
- Only carry out tasks in which you are competent
- Make full consideration of the environmental conditions and hazards during installation
- Avoid drilling into any Hub or Tag enclosures, due to the risk of piercing/exploding batteries
- Take care to ensure correct polarity on all wired connections.

The VirCru Temperature Sensor comes with an integrated 500mm cable and connects wirelessly to your VirCru Hub.

Position the Tag such that the 500mm cable can comfortably reach the position the Probe will be mounted in/on. When measuring temperatures of enclosed spaces (e.g., fridges and freezers) it is essential (for its wireless communication) that the Tag is mounted outside of the enclosed space and the Probe wire suitably routed into the enclosed location.


Position the Probe in/on the item that will be temperature monitored, before following the Tag mounting instructions below:

VirCru Tags are mounted using Dual-Lock self-adhesive pads. One half is supplied adhered to the Tag back with the other half 'locked' to its mating half. To mount the Tag:


- Using one of the alcohol wipes, clean the position the Tag is going to be mounted in (select a suitable area with firm substrate)
- Ensure that the two halves of the Dual Lock are aligned, remove the adhesive protective cover, and press the Tag into position
- The Tag can be removed by gently pulling the Dual Lock pads apart (one half remains on the Tag, the other on the mounting surface).

Secure the Temperature Probe (located at the end of the 500mm wire) using the supplied Cable Tie and Peel & Stick Base. If required the Probe can be fixed with any suitable alternative that does not damage the Probe and suits the selected mounting position.


Tag Sensor
(Front)



Adhesive pad
(Back)



3. The VirCru App



3. How to Install your VirCru App

The VirCru App is supported by software versions iOS 13 and above on iPhone, and versions 5.0 (Lollipop) and above on Android. Ensure your mobile has these software versions installed before downloading the VirCru App.

To download the VirCru App (iPhone):

- Unlock your phone and navigate to the 'App Store'
- Type "VirCru" in the search bar
- Click "Get" by the VirCru logo icon
- Once authorised, the VirCru App will Appear on your iPhone's home page.

To download the VirCru App (Android):

- Unlock your phone and navigate to the 'Google Play Store'
- Type "VirCru" in the search bar
- Click "Install" by the VirCru logo icon
- Once authorised, the VirCru App will Appear on your Android device's home page.

The VirCru App features a simple and intuitive interface to display and personally configure the data provided by the VirCru Hub, Sensors and Products installed on your boat.

The VirCru App main dashboard gives you an overview of all data, which can be explored in more detail if required. It also includes an inventory system for all the other products and services related to your boat, from insurance details, documents and renewal dates through to life jacket servicing.

For more information on configuring and using the VirCru App, please refer to our comprehensive App User Guide available at www.vircru.com. This document provides detailed analysis of the setup, features and functionality of our App in one place, and is constantly evolving as we add new features and technology to our interface.

4. Don't Forget

- Check your Hub and Sensors every few months to ensure they are working properly
- It is always best to mount your equipment on flat and smooth surfaces. Before fixing adhesive pads, ensure you clean your surfaces using the alcohol wipes provided
- If you require any assistance with installation, contact a professional marine electrician or a member of the VirCru team.



VirCru is your virtual crew – always onboard and always connected to you.

5. We're Here to Help

Phone or email our UK-based team for any technical support, product information or sales advice you need using the contact details below:

customer.services@vircru.com

We aim to respond to all email enquiries within 1-2 working days.

01386 800 360

Our phone lines are open 24/7 for enquiries, and we will aim to respond to your query (via your preferred choice of phone or email) within 1-2 working days.

Other VirCru Products

VirCru offers a comprehensive range of products to ensure you can be in touch with your boat from wherever you are. To view our full range of Hubs, Tags, Sensors, Alarms and more, visit <https://www.vircru.com/>.



If you need any help with your VirCru installation or
App set-up please email: customer.services@vircru.com