

XTREME FIXINGS

A quick guide to Tamlyn fixings and finishes

Hex head self drilling screw

Available in carbon steel (no warranty) or stainless steel 20-30 yr warranty. Self drilling into steel sheet and light steel supports such as top hats. Colour matched to sheets using coloured nylon hex caps. Washers are typically 16mm .



Nyco head self drilling screw

Available in carbon steel (no warranty) or stainless steel 20-30 yr warranty. Self drilling into steel sheet and light steel supports such as top hats. These fixings have an injection moulded coloured head which is integral to the fastener. As opposed to traditional hex caps, there is no danger of these coming off, or being eaten by seagulls etc.



Powder coated self drilling screw

Available in carbon steel (no warranty) or stainless steel 20-30 yr warranty. Self drilling into steel sheet and light steel supports such as top hats. These fixings have a polyester powder coated head for ultimate durability and colour fastness. Available in most RAL colours.



Sheet stitching screws

These fixings are known as stitchers and are designed to pull together the sides of two metal sheets. Self drilling point and a tapered shank to tightly pull sheet laps together. Available in standard hex head, Nyco and powder coated options.



Sharp point fixings

As the title suggest thes fixings have a sharp point for screwing into cementitious boards, timber and other products that don't need to be drilled. Pozi drive head, and countersunk for a flat finish when overlapping sheets and planks.



Coloured Torx fixings

Specifically designed for visible fixings on fibre cement planks. Stainless steel, and with a powder coated head to suit the colour of the plank. These fixings also have a sharp point and a Torx head for positive driving into the plank.



Pancake (pan) head trim fixings

Ultra low profile fixings designed to fix aluminium trim profiles to timber or steel substrates. Low profile head allows the plank to sit in front. Stainless steel to avoid bi metallic corrosion, with a Philips head.



XTREME FIXINGS (Plank and trims)

DESIGN FEATURES

Excellent range of board and façade fixings. Multiple size options to suit both 8mm and 10mm board thicknesses. Ultimate corrosion resistant, A2 stainless steel screws to ensure suitability in the harshest environments. Many colours available from stock to suit most manufacturers colours. Board fixings are sharp point to assist with penetration through fibre cement board. S/S self drillers for fixing trims and aluminium cladding planks.

MATERIAL

A2 Stainless steel /Organic Carbon steel façade, trim and board fixing screws. Also plain carbon steel.

NOTE

Always double check with the system manufacturer to ascertain correct fixing specification.

Product Details

Xtreme fixing screws are manufactured from A2 stainless steel to ensure their suitability for use in the harshest environments. Screws ensure there is no plank rattle or chatter in high winds as opposed to nails which can move over time. We also supply organic coated carbon steel and carbon steel as cost effective alternatives.

Available options

◆ Plank fixing (hidden)

Pozi head, countersunk, sharp point, 4.0mm x 45mm, A2 Stainless steel fixing screw. Box of 200 (for 38mm or 50mm batten installation) and 30mm (for 25mm batten installation).

(XT-FIX30MM / XT-FIX45MM)



◆ Plank fixing (visible).

Coloured Torx, 4.8mm x 38mm, A2 SS façade fixing screw Box of 100 (for 38mm or 50mm batten installation) and 32mm (for 25mm batten installation). Wide range of colours to suit most plank manufacturers plank.

(XT-SCREW32 / 38)



◆ Aluminium trim fixing.

Self drilling 5.5mm x 25mm, A2 stainless steel or carbon steel pancake head for unobtrusive fixing of Aluminium trims. Box of 100.

(XT-TF-SS25 (stainless steel) ,



XTREME FIXINGS (Roof and wall sheets)

NOTE

Always double check with the system manufacturer to ascertain correct fixing specification.

Available options

◆ **Trapezoidal sheets (0.7mm steel) (Fixing into light steel)**


Hex head self drillers for roof and wall sheet . Capable of drilling through 0.7mm steel sheet and into 1.5mm steel top hats. A range of coated head options. 16mm washers. Valley fix. (5.5 mm x 25mm)

(XT-LS25G16) Carbon steel hex head. (Use coloured hex caps.)

(XT-SSLS25S16) Stainless steel hex head. (Use coloured hex caps.)

(XT-NY16LS25-Colour) Nyco head. Carbon steel

(XT-SD32-Colour) Powder coated head, carbon steel.



◆ **Trapezoidal sheets (0.7mm steel) (Fixing into timber)**


Hex head self drillers for roof and wall sheet . Capable of drilling through 0.7mm steel sheet and into 38mm (min) batten thickness, unless there is additional timber behind the batten. Valley fix (6.3mm x 32mm)

(XT-TF32G16) Carbon steel hex head. (Use coloured hex caps.)

(XT-SSTF32S16) Stainless steel hex head. (Use coloured hex caps.)

(XT-NY16TF25-Colour) Nyco head, carbon steel.

(XT-TF32-Colour) Powder coated head, carbon steel.



◆ **Sinusoidal sheets (0.7mm) (Crown fixing) (Steel and timber fix)**

Hex head self drillers for roof and wall sheet . Capable of drilling through 0.7mm steel sheet and into 1.5mm steel top hats. A range of coated head options. 16mm washers. Crown fix. (5.5 mm x 50mm (steel), 6.3 x 60mm (Timber)

(XT-LS50G16) (LS) / (XT-SSTF60G16) (TF) Carbon steel hex head. (Use coloured hex caps.)

(XT-SSLS50S16) (LS) / (XT-SSTF60G16) (TF) Stainless steel hex head. (Use coloured hex caps.)

(XT-LS32-Colour) - (LS) / (XT-TF32-Colour) (TF) Powder coated head, carbon steel.

◆ **Stitchers (0.7mm steel) Sidelap stitching screws**


Hex head self drillers for stitching steel sheets together. A range of coated head options. (6.3 mm x 22mm (steel).

(XT-ST22G16) Carbon steel hex head. (Use coloured hex caps.)

(XT-SSST22S16) Stainless steel hex head. (Use coloured hex caps.)

(XT-TF32-Colour) Powder coated head, carbon steel.

(XT-NY16ST22-Colour) Nyco head, carbon steel. **(XT-NY16SSST22-Colour)** Nyco head, Stainless steel.



◆ **Rooflight fixings for trapezoidal sheets (5.5mm x 32mm Carbon / 5.5mm x 38mm Stainless)**

(XT-LS32A29) Carbon steel hex head / **(XT-SSLS38A29)** Stainless Steel Hex head